

## TERMS AND CONDITIONS

1. The cylinders and fittings covered by this invoice are loaned by the vendee, NOT SOLD, and are to be returned to the plant or warehouse or the vendor from which they were shipped in good condition and repair, promptly when empty. Vendee shall pay to the vendor for each such cylinder a monthly charge for the time each cylinder is retained.
2. The vendee waives any claim based on defective valves or other cylinder imperfections unless same are made within thirty (30) days after receipt of cylinder is returned to vendor's plant or warehouse with blue tag (mailed upon request) attached, stating defect.
3. The vendee shall not loan or refill or cause to be loaned or refilled the cylinders furnished by the vendor, and shall return empty cylinders and fittings, designated on bill of lading as "empty cylinders returned complete with caps," sending vendor bill of lading showing cylinder numbers.
4. The vendee shall pay to the vendor, upon demand, the value of any cylinder or fittings lost, destroyed or damaged, through any cause whatsoever, or not returned to the vendor within six (6) months from date of shipment to the vendee, based on the latest selling list of the vendor, or if the damage can be repaired, the cost of making such repair.
5. The vendee shall be responsible for damage to and loss of the cylinders and fittings from the time of acceptance of delivery of the cylinders and fittings by the vendee until return thereof to the vendor.
6. The vendee shall indemnify and save harmless the vendor from and against all loss or damage arising out of injuries to or death of persons, and damage to or destruction of property (other than that caused by defective cylinders thereof) in any manner caused by, incident to, or connected with the cylinders or the contents thereof furnished by the vendor, whenever the same may be during the aforesaid period.
7. The vendee shall pay in addition to the price or prices specified herein, the amount of any tax upon or payable or collectible by the vendor with respect to or which is ascertained by reference to or measured by any sales, deliveries or orders hereunder by virtue of any present or future Federal, State, Municipal or law applicable thereto.
8. Vendor reserves the right to stoppage in transit and to repossess products notwithstanding delivery to the carrier, until payment in full has been made to vendor. Vendee by acceptance of the products grants a security interest to Vendor in such products until paid in full together with all of the rights and remedies of a secured under the Uniform Commercial Code.
9. Service and deliveries by the Vendor shall be subject to floods, strikes, or other labor disturbances, fires, accidents, wars, delays or carries, inability to obtain raw materials, failures of normal source of supply, restraints of governments, or any other similar cause beyond the Vendor's reasonable control.
10. The vendee shall indemnify and save harmless the vendor from and against all loss or damage arising out of injuries to or death of persons and damage to or destruction of property in any manner caused by, incident to, or connected with the cylinders or the contents thereof furnished by the vendor wherever the same may be during the aforesaid period (the vendee may insure against the foregoing liabilities under standard forms of insurance policies. Whenever necessary vendee's policies should be endorsed to provide for coverage and in the event of any loss or damage as aforesaid vendee should promptly report such damage or loss to the insurance company and the vendor).

<p>This is to certify the materials described on the reverse side are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.</p>	<p><b>OXYGEN, REFRIGERATED LIQUID, UN 1073</b>  <b>OXYGEN, COMPRESSED, UN 1072</b>  <b>NITROUS OXIDE, COMPRESSED, UN 1070</b>  <b>COMPRESSED GAS, OXIDIZING, UN 3155</b>  <b>AIR, COMPRESSED, UN 1022</b></p> <p><b>FIRE or EXPLOSION:</b> *substance does not burn but will support combustion. *May react explosively with fuels. *May ignite combustibles (wood, oil, etc.). *Vapors from LIQUEFIED gases are initially heavier than air and may spread along ground. *Runoff may create fire or explosion hazard.  <b>HEALTH:</b> *Vapors may cause dizziness or asphyxiation without warning. *Fire may produce irritating, &amp;/or toxic gases.</p> <p style="text-align: center;"><u><b>EMERGENCY RESPONSE</b></u></p> <p><b>FIRE:</b> Use an extinguishing agent suitable for the type of surrounding fire.  SMALL FIRE: Dry chemical or CO2.  LARGE FIRE: Water Spray, fog or regular foam.  <b>FIRE INVOLVING TANKS:</b> ISOLATE for 800 meters (1/2 miles) in all directions; also, consider initial evacuation for 800 meters (1/2 miles) in all directions. *For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.  <b>SPILL or LEAK:</b> *Isolate immediately at least 25-50 meters (80-160 feet) in all directions. IF LARGE, consider downwind evacuation for at least 500 meters (1/3 miles). *Keep combustibles wood, paper, oil, etc. away from soil. Isolate area until gas has dispersed.  <b>FIRST AID:</b> *Remove and isolate contaminated clothing and shoes.</p>
<p style="text-align: center;"><b>COMPRESSED OR LIQUEFIED GASES N.O.S., UN 1956</b>  <u><b>POTENTIAL HAZARDS</b></u></p> <p><b>FIRE or EXPLOSION:</b> Some may burn but none ignite readily.  <b>HEALTH:</b> *Vapors may cause dizziness or asphyxiation without warning. *Fire may produce irritating, corrosive, &amp;/or toxic gases.</p> <p style="text-align: center;"><u><b>EMERGENCY RESPONSE</b></u></p> <p><b>FIRE:</b> Use an extinguishing agent suitable for the type of surrounding fire. Some of these materials, if spilled may evaporate leaving a flammable residue.  SMALL FIRE: Dry chemical or CO2.  LARGE FIRE: Water Spray, fog or regular foam.  <b>FIRE INVOLVING TANKS:</b> ISOLATE for 800 meters (1/2 miles) in all directions; also, consider initial evacuation for 800 meters (1/2 miles) in all directions.  <b>SPILL or LEAK:</b> *Isolate immediately at least 100 meters (330 feet) in all directions. LARGE, consider downwind evacuation for at least 500 meters (1/3 mile). *Ventilate the area.  <b>FIRST AID:</b> *Remove and isolate contaminated clothing and shoes.</p>	<p style="text-align: center;"><b>NITROGEN, REFRIGERATED LIQUID, UN 1977</b>  <b>ARGON, REFRIGERATED LIQUID, UN 1951</b>  <b>CARBON DIOXIDE, UN 1013</b>  <b>CARBON DIOXIDE, REFRIGERATED LIQUID, UN 2187</b>  <u><b>POTENTIAL HAZARDS</b></u></p> <p><b>FIRE or EXPLOSION:</b> NON-FLAMMABLE GASES.  <b>HEALTH:</b> *Vapors may cause dizziness or asphyxiation without warning.</p> <p style="text-align: center;"><u><b>EMERGENCY RESPONSE</b></u></p> <p><b>FIRE:</b> Use an extinguishing agent suitable for the type of surrounding fire.  <b>FIRE INVOLVING TANKS:</b> ISOLATE for 800 meters (1/2 miles) in all directions; also, consider initial evacuation for 800 meters (1/2 miles).  <b>SPILL or LEAK:</b> *Isolate immediately at least 25 meters (80 feet) in all directions.  IF LARGE, consider downwind evacuation for at least 100 meters (300 Feet.) *Ventilate the area.</p>

<p style="text-align: center;"><b>ARGON, COMPRESSED, UN 1006</b>  <b>HELIUM, UNCOMPRESSED, UN 1945</b>  <b>NITROGEN, COMPRESSED, UN 1066</b>  <b>RARE GASES, MIXTURES, UN 1979</b>  <u><b>POTENTIAL HAZARDS:</b></u></p> <p><b>FIRE or EXPLOSION:</b> NON-FLAMMABLE GASES.  <b>HEALTH:</b> *Vapors may cause dizziness or asphyxiation without warning.</p> <p style="text-align: center;"><u><b>EMERGENCY RESPONSE</b></u></p> <p><b>FIRE:</b> Use an extinguishing agent suitable for the type of surrounding fire.  <b>FIRE INVOLVING TANKS OR TUBE TRAILERS:</b> ISOLATE for at least 800 meters (1/2 miles) in all directions and consider initial evacuation for at least 800 meters (1/2 miles).  <b>SPILL or LEAK:</b> *Isolate immediately at least 10-25 meters (30-80 feet) in all directions.  IF LARGE, consider downwind evacuation for at least 100 meters (300 feet) *Ventilate the area.</p>	<p style="text-align: center;"><b>ACETYLENE, DISSOLVED, UN 1001</b>  <u><b>POTENTIAL HAZARDS</b></u></p> <p><b>FIRE or EXPLOSION: EXTREMELY FLAMMABLE.</b> *Easily ignited by heat, sparks or flames. *Will form explosive mixtures with air. *Vapors may travel to source of ignition and flash back.  <b>HEALTH:</b> *Vapors may cause dizziness or asphyxiation without warning. Can act as irritant, or anesthetic in high concentrations.</p> <p style="text-align: center;"><u><b>EMERGENCY RESPONSE</b></u></p> <p><b>FIRE:</b> DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.  SMALL FIRE: Dry chemical or CO2.  LARGE FIRE: Water Spray, fog or regular foam.  <b>LEAK:</b> *Isolate the leak area immediately for at least 100 meters (330 feet) in all directions.  *Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). *All equipment used when handling the product must be grounded. *Isolate area until gas has dispersed.  <b>FIRST AID:</b> *Remove and isolate contaminated clothing and shoes.</p>
---	---

**EMERGENCY CONTACT CHEMTREC 800-424-9300**